

Lithium Iron (LiFePO₄) Battery

Features

Longer Cycle Life: Offer up to 10 times longer cycle life and five times longer float/calendar life than lead acid battery, helping it minimize replacement cost and reduce total cost of ownership.


Lighter Weight : About 40% of the weight of a comparable lead acid battery. A'drop in' replacement for lead acid batteries.

Higher Power : Delivers twice power of lead acid battery, even high discharge rate, while maintaining high energy capacity.

Wider Temperature Range: -20~60°C

Superior Safety: Lithium Iron Phosphate chemistry eliminates the risk of explosion or combustion due to high impact, overcharging or short circuit situation.

Dimension-mm







ALFP-12200(12.8V 200Ah)



Application

- Solar/Wind energy Storage
- Golf cart
- Back-up Power for UPS/EPS
- Tools

Specification		
Basic Parameters	Rated Voltage	12.8V
	Rated Capacity	200Ah
	Rated Energy	2560wh
	Internal Resistance (AC)	≤80mΩ
	Cycle Life	≥3500 cycles @80%DOD
	Self Discharge	1%/months
	Efficiency of Charge	≥97%
	Efficiency of Discharge	≥98%
Charge	Charge Voltage	14.6V
	Charge Current (Recomm.)	30A
	Charge Current (Max.)	100A
Discharge	Discharge Cut-off Voltage	10.0V
	Discharge Current (Max.)	100A
	Pulse Current	120A(3S)
Environmental	Charge Temperature	0°C to 55°C(32F to 131F)@60±25%Relative Humidity
	Discharge Temperature	-20°C to 60°C(-4F to 140F)@60±25%Relative Humidity
	Storage Temperature	0°C to 40°C(32F to 104F)@60±25%Relative Humidity
Physical Characteristics	IP Class	IP30
	Terminal	M8
	Plastic Case	ABS
	Dimensions (in. /mm.)	522*218*240mm
	Weight (lbs. /kg.)	22kg
	Others(optional)	Bluetooth,Shell color,IP rating

















Lithium Iron (LiFePO₄) Battery

ALFP-12200(12.8V 200Ah)


Different Rate Discharge Curve (25℃)




Different Temperature Discharge Curve (0.5C)




State of Charge Curve (0.2C, 25°C)




Charging Characteristics (0. 2C, 25°C)



Different DOD Discharge Cycle Life Curve



Different Temperature Self Discharge Curve





Add: High-tech Industrial Development Zone, Yingde City, Guangdong Province, China

Web: www.aokly-battery.com Email: sales@aokly-battery.com © 2024 AOKLY GROUP. All rights reserved.

Trademarks and logos are the property of AOKLY GROUP and its affiliates unless otherwise noted. Subject to revisions without prior notice.